






# Solusi Desain Bangunan Modern

“Modern Building Design Solutions”



# Index

	Ceiling Solutions	8
	Wall Solutions	16
	Floor Solutions	32
	Decorative Solutions	42
	Roof Solutions	46





NEW TECHNOLOGY



RB SHERA is equipped with advanced Fybertec technology, a specialized fiber formulation designed to optimize density and flexibility, enhancing the strength and durability of RB SHERA products.



Tahan Retak



Tahan Lentur



Tahan Grepes

# TKDN

## Tingkat Komponen Dalam Negeri

A regulatory framework established by the Government of Indonesia to increase the use of local components in the production of goods and services.



## Environment Product Declaration: EPD

Environmental Label based on ISO 14025 and EN 15804 certifications related to environmentally friendly manufacturing processes, verified by an internationally recognized central committee. These certifications ensure that the products meet global standards, are safe, and suitable for use.



## U.S. Green Building Council

Adds credits to buildings that contribute toward LEED certification by the U.S. Green Building Council.



7705 : 2020

## Standar Nasional Indonesia

Products with the Indonesian National Standard (SNI) to deliver the best quality for customers.



License No.041-005  
Made from 30% Recycled Materials

## Green Label Certification

Green label certification as a product that uses environmentally friendly materials and supports energy conservation.



## Certified with the First Carbon Label

Carbon label registration standard from the Greenhouse Gas Management Organization (Public Organization) and the Environmental Institute Foundation.



## **RB SHERA for a Sustainable Environment**

RB SHERA is committed to supporting the realization of every building owner's and innovator's vision through environmentally friendly RB SHERA product innovations, aiming to create better future buildings with a strong focus on sustainable environments.

## **RB SHERA creates buildings with natural aesthetic beauty**

As an innovator of Silicate Board products that can substitute real wood for various building applications, RB SHERA not only focuses on product functionality but also positions itself as an innovator that upholds aesthetic value through natural textures and colors inspired by nature.



# *Green Innovation*

RB SHERA responds to our customers and their family with innovative development of wood substituted products for flooring, walling and ceiling applications that serves all needs in your home and other buildings.





RB SHERA has become the most comprehensive innovator of wood substitute silicate boards by prioritizing advanced manufacturing technology with global standards, which includes:

### Autoclave Technology

Under internationally recognized Autoclave technology, RB SHERA Silicate Boards become one of the most perfected materials. Our products are cured in a pressure- and heat-controlled chamber to ensure that every piece of Silicate Board meets the same quality standards. All RB SHERA products are of high international quality standards.

### Green Technology


The entire RB SHERA production process emphasizes green policies that consider environmental concerns, energy efficiency, and waste minimization, with a focus on renewable energy (Green Technology). This approach ensures alignment with the rapid pace of global climate change and supports a harmonious, balanced coexistence between humans and nature (Green Living).

Properties	Silicate Board	Real Wood	WPC	Ply	Gypsum
Break Resistant	✓	✓	✓	X	X
Flex Resistant	✓	X	✓	X	✓
Crack Resistant	✓	X	✓	X	✓
Termite Resistant	✓	X	✓	X	✓
Rot Resistant	✓	X	✓	X	✓
Heat and Fire Resistant	✓	X	X	X	X
Water Resistant	✓	X	✓	X	X
Moisture Resistant	✓	X	✓	X	X
Low Shrinkage	✓	X	X	X	✓
Beautiful like natural wood	✓	✓	✓	X	X
Wide range of colors	✓	X	X	X	X
Authentic wood texture	✓	✓	X	X	X
Weather Resistant	✓	X	X	✓	✓
Easy to paint	✓	✓	X	✓	✓
Low Maintenance	✓	X	✓	✓	✓
Environmentally Friendly	✓	✓	X	✓	✓
Sound Insulating	✓	X	X	X	✓
Easy to install	✓	✓	✓	✓	✓



# Ceiling Solutions





The fundamental of ceiling application is to create a sense of beauty while providing great functionality to a house such as preventing heat transfer from the rooftop, facilitating ventilation under the roof, as well as giving the house a clean, neat and pretty finish. Since ceiling will have to go through seasonal changes that usually come with water, humidity and termite problems especially in hidden, hard-to-clean spots, it's also important to keep strength and durability in mind so that owners can enjoy the comfort of their own houses without having to worry about maintenance.

**Ceiling Strip**

**Ceiling Board**


**Deco Ceiling Board**



## Ceiling Strip

Building your ceiling with Ceiling Strip is a great way to improve ventilation effectively, leaving your indoor space cool and comfortable. It also gives you the flexibility to achieve the ultimate beauty for any indoor and outdoor ceiling designs.

Ceiling Strip is strong and durable in any weather conditions and comes with different color choices from natural wood grains all the way to painted wood options and Shine Light series.



### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Straight Grain	Uncolored	V-cut edge	8 x 75 x 3000	2.70	4.44
		V-cut edge	8 x 100 x 3000	3.60	3.33
	Black Teak	V-cut edge	8 x 75 x 3000	2.70	4.44
	Beech	V-cut edge	8 x 75 x 3000	2.70	4.44
	Shine Light oak	V-cut edge	8 x 75 x 3000	2.70	4.44
	Shine light red oak	V-cut edge	8 x 75 x 3000	2.70	4.44

**Note:**  
The use of ceiling strips can also be applied to other areas, not limited to ceiling installations.



See More Information



***Self Cleaning***


Equipped with a self-cleaning function that makes maintenance easier and more practical, without the need to spend time on cleaning.



## Ceiling Board

Ceiling Board is durable and suitable for external soffit and internal ceiling. It's also an ideal application for wet areas such as bathroom, kitchen, garage and eaves, etc. Ceiling Board is tough and strong. not brittle, not crack easily and doesn't contain any asbestos content.

Other properties include water, moisture resistance and bendability as needed, making it a perfect ceiling material for interior and exterior.




## Product Information

Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Metric Square-cut edge	3.5 x 1200 x 2400	15.00	0.35
	4 x 1200 x 2400	17.15	0.35
Imperial Square-cut edge	3.5 x 1220 x 2440	15.50	0.34
	4 x 1220 x 2440	17.71	0.34



See More  
Information



**Metric & Imperial**

Available in both Imperial and Metric sizes to meet various construction standards. This variant is designed for practicality and can be installed without replacing existing frameworks, making it more efficient and cost-effective.






## Deco Ceiling Board

Make your decoration complete and bring nature elements into your spaces as your heart desires with Deco Ceiling Board.


This decorative solution has many outstanding properties including durability in any weather conditions and resistance to water, humidity, fire, impact as well as termites. It's also sound proofing when cutting, hammering or drilling, making installation become easy. So when it comes to expressing your personal style through designs, Deco Ceiling Board is the answer.



Cassia Texture



Straight Grain Texture



### Product Information

Texture	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Cassia	Cassiano	6 x 1200 x 2400	27.19	0.35
Straight Grain	V3	6 x 1200 x 2400	27.04	0.35



See More Information

Ceiling Solutions





# Wall Solutions



Wall is a key element of home building in terms of boundary forming and indoor space allocating. From exterior wall to room partition, wall helps to provide protection from outside and divide the space inside your home proportionally based on lifestyles of all family members.

Therefore, this wall should be strong and durable enough to provide a long-lasting service of protecting your privacy and upholding the beauty of your common space.

**Classic Plank**

**Colored Plank**

**Splendid Plank Deline**

**Splendid Plank**

**Wall Board**

**Wall Clading**

**Wall Deco Board**



## Classic Plank

RB SHERA offers Classic Plank products for façade applications, providing a warm impression with textures that resemble natural wood. With complete features such as low shrinkage and termite resistance, you can create a comfortable atmosphere for your building.

Classic Plank is suitable for wall decoration both indoors and outdoors. It is available in various sizes, allowing you to adapt it to your desired style and preferences.



### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Teak	Uncolored	Square-cut edge	8 x 100 x 3000	3.61	3.33
			8 x 100 x 4000	4.80	2.50
			8 x 200 x 3000	6.93	1.67
			8 x 200 x 4000	9.60	1.25
			8 x 300 x 3000	10.39	1.11
			8 x 300 x 4000	14.40	0.83
Smooth	Uncolored	Square-cut edge	8 x 200 x 2440	5.90	2.05
			8 x 200 x 3000	6.93	1.67
			8 x 200 x 4000	9.60	1.25
		Curved Edge	8 x 100 x 2440	2.95	4.10
			8 x 200 x 2440	5.90	2.05
			8 x 300 x 2440	8.85	1.37




See More Information



Natural Wood Texture

Available in a variety of wood texture finishes, giving you the freedom to experiment in every space. With distinctive patterns and diverse sizes, it looks as beautiful as natural wood.






## Colored Plank

Colored Plank is an alternative wood substitute that provides a warm ambiance with a texture closely resembling real wood. It is the perfect choice for both interior and exterior decoration. In addition, this product is resistant to various weather conditions and is able to maintain its wood texture for a long period of time.

Colored Plank is designed to showcase beauty in your home, suitable for applications such as house wall cladding or fencing.



### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Teak	Antique Wood Golden Sand teak	Square-cut edge	8 x 200 x 3000	7.20	1.67
	Walnut		8 x 200 x 3000	7.20	1.67
	Golden Sand Teak		8 x 200 x 3000	7.20	1.67
	Golden Teak		8 x 200 x 4000	9.60	1.25
	Golden Teak		8 x 200 x 3000	7.20	1.67
	Afromosia Brown		8 x 200 x 3000	7.20	1.67
	Red Cherry		8 x 200 x 3000	7.20	1.67
	Red Mahogany		8 x 200 x 3000	7.20	1.67



See More  
Information

**Note:**  
colored plank can also be applied to other areas, not limited to wall applications.

# Wall Solutions



**Scratch-resistant with long-lasting color protected by a six-layer coating.**

- UV Protex
- Weather Protex
- Color Protex
- Nano Protex
- Primer Protex
- Fiber Protex






## Splendid Plank Deline

Splendid Plank Deline is designed for any striking modern architectural style you have in mind.

It comes with 5 different grooved lines that can be applied to your indoor and outdoor in many styles that suit you.



Uncolored  
Straight Grain  
Texture



See More  
Information

### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Straight Grain	Uncolored	Deline DL01	10 x 220 x 3000	8.77	1.52
		Deline DL02	10 x 220 x 3000	8.60	1.52
		Deline DL05	10 x 220 x 3000	8.12	1.52



**Interlock System**

With an interlock system that allows each board to lock tightly into place. Installation becomes faster, more precise, and the final result is clean and neat.




# Wall Solutions



## Splendid Plank

Incorporate naturalness into your modern wall designs with patterns and textures of real wood. Splendid Plank comes with two installation options: vertical and horizontal, and a unique feature of hidden screw marks on each plank.

You can achieve the perfect screwless wall with both overlapping and grooving styles. Enjoy your safe, smooth, and durable walls in every season because Splendid Plank ensures beauty and strength that withstand the test of time.



Uncolored  
Cassia Texture

### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Cassia	Uncolored	Croton	10 x 150 x 3000	5.77	2.22



*Do not hammer nails directly when applying splendid plank as ceiling. kindly use screws to ensure the long service life.*



See More  
Information






## Wall Board

Wall Board is an ideal solution to walling, especially designed for indoor and outdoor wall applications. This series comes with a square-cut edge profile for exposed - joint wal and a recessed edge profile for smooth seamless wall. installation is easy with cutting and drilling.

Other great properties include durability, resistance to water-humidity-fire-impact and soundproof, therefore it is a perfect choice for walling in residential, hotel, resort, and industrial buildings. Wall Board will bring a good quality of life to homeowners everywhere.



### Product Information


Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Metric Square-cut edge	6 x 1200 x 2400	26.00	0.35
	8 x 1200 x 2400	35.68	0.35
	9 x 1200 x 2400	42.00	0.35
	10 x 1200 x 2400	45.50	0.35
	12 x 1200 x 2400	55.00	0.35
Imperial Square-cut edge	6 x 1220 x 2440	27.00	0.34
	8 x 1220 x 2440	36.00	0.34
	9 x 1220 x 2440	43.00	0.34




See More Information



Wall Board can be applied to curved surfaces with a bending radius (R) from 1 to 5 meters, thanks to its high durability and flexibility.



Up to






## Wall Cladding

As an exterior wall of a building, the material must be strong and highly weather-resistant. In Indonesia's tropical climate, the material must withstand alternating heat and heavy rain.

Wall Cladding offers resistance to fire, water, and impact. Its installation is recommended on a steel framework that matches the required design, dimensions, thickness, and recommended spacing. Other parameters should also be considered, such as wind load, static load, wall height, and seismic risk level.



### Product Information

Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Square-cut edge	10 x 1200 x 2400	45.06	0.35
	12 x 1200 x 2400	54.08	0.35



See More Information






## Wall Deco Board

Allow your space to show off its strikingly beautiful texture and architectural dimension with Deco Board. These beautiful patterns are crafted to go with several designs, making your home decor project more unique and outstanding than ever.

Deco Board comes with a full range of properties including resistance to weather, water, moisture and fire which are the key components in terms of functionality. It's also soundproof and impact-resistant, which is ideal for both internal and external decorative applications. Installation is easy with screwing cutting and drilling. In a word, Deco Board gives you a very convenient way to make your room look perfect.



Straight Grain 4"  
Texture



See More  
Information

### Product Information

Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )	Jumlah (lbr/m <sup>2</sup> )
Straight Grain	V4"	8 x 1200 x 2400	36.05	0.35



The final result remains neat and elegant, even though 1200 × 2400 mm boards can be installed up to twice as fast as conventional wall systems.





**Floor Solutions**



Floor is the main part of every home and building needs to be planned since the beginning. Besides supporting the weight of all structures, nice flooring can make a striking statement in your home and building comfort feeling under your feet. That's why It's important to choose the right material by looking at qualifications, room's functions, budgets and designs that match your need.

RB SHERA provides floor board products as a solution for all flooring installation needs thanks to their high strength. In addition, the product will not sag, shrink, warp, or creak. It is also resistant to termite attacks and easy to install. By combining all of these characteristics, RB SHERA Floor Boards help ensure long-lasting durability and beauty for the floors in your home.

**Floor Plank Color Through**  
**Floor Plank**  
**Floor Plank Clip-Lock Series**  
**Floor Skirt**  
**Floor Board**  
**Deco Floor Board**





## Floor Plank Color Through

Growing more innovative, Floor Plank Color Through has pigment particles infused into it. Making the color stay true and scratch resistant for a long period of time. Home lovers are going to love this.

### Special Properties

- Painted and ready to install
- Beautiful as natural wood
- Color texture remains Beautiful even with scratches
- Easy to install on 30- 40 cm. Joist spacing frames

### Floor Plank Color Through Anti Slip

- Beautiful as natural wood
- Anti-slip with micro polymer
- Safety certified by European standards



Wenge Brown  
Straight Grain  
Texture



Tropical Oak  
Straight Grain  
Texture



Golden Sand Teak  
Straight Grain  
Texture



Chestnut Brown  
Cassia  
Texture

## Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
	Wenge Brown	V-cut edge	25 x 150 x 3000	17.75	2.22
			25 x 200 x 3000	23.67	1.67
Straight Grain	Tropical Oak	V-cut edge	25 x 150 x 3000	17.75	2.22
			25 x 200 x 3000	23.67	1.67
	Golden Sand Teak	V-cut edge	25 x 150 x 3000	17.75	2.22
			25 x 200 x 3000	23.67	1.67
Cassia	Chesnut Brown	V-cut edge	25 x 150 x 3000	17.75	2.22
			25 x 200 x 3000	23.67	1.67



See More  
Information



**Water Resistant**


Pigment particles provide water resistance, maintaining surface strength and preventing damage even under exposure to moisture or rain.



# Floor Plank

Floor Plank has long been a trusted choice for customers. This product is reliable for both interior and exterior applications. The flooring is impact-resistant thanks to the Hatschek Technology used in its manufacturing process. It can be installed on structures with a 40 cm spacing, helping reduce structural material costs and installation time. In addition, it is termite-resistant, effectively extending its lifespan and increasing user confidence.

This product is available in a variety of sizes and colors to suit your preferences, including Primer Coated Model, Double Model, Color True In Color Model, and Color True Anti-Slip Model.



## Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Straight Grain	Jasmine white primer	V-cut edge	25 x 150 x 3000	16.38	2.22
		V-cut edge	25 x 200 x 3000	21.84	1.67
Cassia	Jasmine white primer	V-cut edge	25 x 150 x 3000	16.38	2.22
		V-cut edge	25 x 200 x 3000	21.84	1.67
		V-cut edge	25 x 300 x 3000	34.68	1.11



See More Information

## Loading table of Floor Plank


Concentrated Load /

Point Load (kg) - 100 mm. x 100 mm. foot print

Joist Spacing (mm)	Allowable Concentrated Load (kg/m <sup>2</sup> ) Width of Product (mm)		
-	150	200	300
200	175	234	350
300	117	156	234
400	-	93	139
500	-	-	89

Uniform Load (kg/m<sup>2</sup>)

Joist Spacing (mm)	Allowable Concentrated Load (kg/m <sup>2</sup> ) Width of Product (mm)		
-	150	200	300
200	11.680	11.680	11.680
300	4.405	4.405	4.405
400	-	1.658	1.658
500	-	-	951



### Keterangan :

1. Apply on Floor Plank products with 25 mm. thickness and 3 meter length.
2. Prior installation, all sizes of surfaces shall be coated with primer and top coats.
3. Loading requirement shall be provided by engineer, and verify to loading table recommended above.
4. All support framing / joists to be designed and endorsed by qualified engineer.
5. Table above is designed with safety factor of 2.0

*\*The product colors shown in the images may differ from the actual product due to the printing system.*



The product colors shown in the images may differ from the actual product due to the printing system



## Floor Plank Clip-Lock Series

It can complement various home styles and colors, and can be adapted to different creative activities from creating walkways, decorating pool edges, balconies, terraces, and yoga spaces, to being used as customizable ornaments similar to common wood applications.


- ✓ **Smooth & Beauty with no screw head**
- ✓ **Fast and Easy to Install by Clip-Lock system**
- ✓ **Weather Resistance**




See More Information



### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Straight Grain	Modern grey	V-cut edge 	25 x 150 x 3000	16.93	2.22
	Wenge brown		25 x 150 x 3000	16.93	2.22
	Tropical oak		25 x 150 x 3000	16.93	2.22



### Clip-Lock

#### Product Information

Product	Weight (kg./box)	Quantity (pcs/box)
Clip-Lock Installation set	0.2	36






## Floor Skirt

Cover joints between the wall and the floor with Floor Skirt and enhance the feelings of nature in your home with texture and color of real wood.

Floor Skirt comes with great properties ensuring durability, termite free, no rotting and no swelling from excess moisture. Using Floor Skirt as a baseboard will not only help prevent stains on the wall while cleaning, but also give a neat and beautiful finish to your design.



Uncolored  
Smooth  
Texture



### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Smooth	Uncolored	classic	12 x 100 x 3000	5.33	3.33
		modern	12 x 100 x 3000	5.33	3.33



See More  
Information



## Floor Solutions

# Floor Board

It's time to take fiber cement flooring innovation to the next level with Floor Board. By being of better quality than any other wood-chip cement boards or typical plywood, Floor board can ensure durability in any weather conditions, resistance to water-fire-termites as well as the ability to support heavier weight, thus it can be a perfect flooring material throughout the building.

Save your time and money by choosing floorboard that's designed for a quick installation. Plus you can conveniently apply Floor Board as a substrate for various finishings as well.



## Product Information

Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Metric Square-cut edge	15x 1200 x 2400	66.27	0.35
	18 x 1200 x 2400	79.52	0.35
	20 x 1200 x 2400	88.36	0.35
Imperial Square-cut edge	15 x 1220 x 2440	68.50	0.34
	18 x 1220 x 2440	82.20	0.34
	20 x 1220 x 2440	91.33	0.34



See More  
Information



### Non-Combustible

A1 fire-rated material with fire resistance of up to 120 minutes, fully non-combustible, making it highly safe for various modern flooring applications.



## Deco Floor Board

Deco Floor Board is designed to strengthen the visual identity of a space through its distinctive texture and stable material characteristics. Silicate board flooring provides an aesthetic depth that is difficult to achieve with conventional materials, making it an ideal choice for interiors that require a strong, character-rich accent while remaining modern.



Straight Grain V Groove 6" Texture



See More Information

### Product Information

Texture	Color	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Quantity (pcs/sqm <sup>2</sup> )
Straight Grain V Groove 6"	Uncolored	16 x 1200 x 2400	74.08	0.35



### Table showing weight tolerance of Floor Board for one-way slab

Thickness Floor Board	Joint spacing for one-way slab calculated with a factor of safety of 2.5				
	300 x 600 mm	400 x 400 mm	400 x 600 mm	600x 600 mm	600 x 1200 mm
15 mm	2122	1594	1293	708	530
18 mm	3055	2294	1863	1020	763
20 mm	3772	2835	2300	1260	943

**Note :**

1. For one-way support, Floor Board panels must be installed with their length running perpendicular to the direction of the frame.
2. Do not install Floor Board panels while they are still wet.



# Decorative Solutions




Decoration is a vital component in residential architecture not only for aesthetics, but also for creating a comfortable atmosphere within the home.

RB SHERA's decorative products enhance your living space with a warm ambiance and natural beauty that resembles real wood.

- **Decor Wood**






## Decorative Decor Wood


Decorative Wood Panels are suitable for all building design styles, offering a warm ambiance and the natural beauty of real wood. Ideal for both indoor and outdoor applications, this product is strong and durable with thickness options ranging from 16 mm to 25 mm, allowing you to create designs according to your preference, such as cladding panels or other custom features



A wide range of sizes to meet all preferences. RB SHERA provides the most choices of decor wood that suits your taste.



Uncolored Cassia Texture



Uncolored Straight Grain Texture



Uncolored Smooth Texture




### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness * Width * Length)	Weight (kg/pcs)	Jumlah (lbr/m <sup>2</sup> )
Cassia	Uncolored	Square-cut edge	25 x 50 x 3000	5.78	6.67
	Jasmine White	V-cut edge	25 x 100 x 3000	11.56	3.33
Smooth	Uncolored	Square-cut edge	16 x 50 x 3000	3.59	6.67
Straight Grain	Uncolored	V-cut edge	25 x 50 x 3000	5.78	6.67



See More Information





# Roof Solutions



RB SHERA roofing solutions excel not only in functional performance delivering strength and resistance against various environmental factors but also serve as an aesthetic solution that enhances the visual beauty of your building's roofing applications.

- **Zedar Shake**
- **Eaves One Plus**
- **Eaves Pro**





Inspired by  
*The Beauty  
of Nature*



See More  
Information

## Zedar Shake

Add a touch of natural beauty to your roof design with Zedar Shake, an innovative roof material that holds the natural look and beautiful texture of real wood. Zedar Shake possesses the finest quality, well-known durability guaranteed by high quality manufacturing processes, termite resistant property and Inter-Locking system, water leakage prevention system certified by ASTM C1530-04 Standard. You can rest assured that sub roof is not needed, installation time and cost will be lower, and maintenance is minimal.

Bring a little charm to your wood-like roof with our

‘Color Through’ technology, the method we use to pigment color thoroughly and evenly into the product. There’re 3 shades of dark colors to be chosen from: Yellow Zante, Brown Chestnut and Black Wenge along with 3 tile widths to fit your design. Therefore it’s easy for any designer and owner to craft their masterpiece home or building projects which are truly a feast for the eyes.



**Yellow Zante** 481

This is one of the bark themed colors that comes in a light yellowish shade, giving a sense of gentle and warm touch of nature like a color of pine trees in the summer or the warm light of the sun. And with the bark texture combined, this is a perfect way to fill your home with warmth and relaxation every day.



**Brown Chestnut** 482

Calm and comfort blend perfectly in this natural shade from our bark themed colors, designed by drawing out the beauty of pine trees in the rainy season. Pine trees turn into darker shade due to humidity in rain forest. This color will make your time at home feel even more peaceful, relaxing, and appealing.



**Black Wenge** 483

This dark shade of bark color comes with hidden charm and strength just like pine trees during winter. With the presence of white snow, the dark color creates contrast on the roof. And this sense of elegance and solemn is what makes your roof more attractive and stand out.



**Metro Grey** 484

This grey color represents coolness and luxury of metropolis. Inspired by worn out cedar roof, stain and uneven color is enhanced with grey color gradient to create the perfect harmony between nature and civilized society.



**Product Information**

Zedar Shake Roof Quantity Per 1 Box (Usage quantity: 0.8 sq.m./box)

Width (mm)	Length (mm)	Thickness (mm)	Weight (kg/pcs)	Quantity (per box)
100	350	12	0.75	5 pcs
150	350	12	1.19	10 pcs
200	350	12	1.47	10 pcs



200 x 350 mm 150 x 350 mm 100 x 350 mm




## Eaves One Plus

This is the kind of eaves designed for roof decoration aiming for a “beautiful, durable and quick” finish. Cover joints between two materials and hide the untidy cut ends of roof’s rafters and sheathing with eaves that are ready to use and complete in one step.

Eaves One Plus is beautifully designed to mimic the appearance of 2 overlapping planks, creating dimensions for each piece. The texture is tough and non-brittle. Thickness options include 16 mm. and 22 mm. with the length options between 3 and 4 meters.



*Eaves One Plus can reduce installation process from two steps down to one (compared to normal eaves installation)*



### DIAMOND CUT Technology

With Computer Numerical Control (CNC) makes cutting process precise and ensures all planks meet exact specifications.

## Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Jumlah (lbr/m <sup>2</sup> )
Cassia	Uncolored	Eaves one plus	12 x 235 x 3000	11.62	1.42
Smooth			16 x 235 x 3000	15.29	1.42





See More Information

## Eaves Pro

Take roof eaves to the next level with Eaves Pro, made from innovative materials for faster and more practical construction.

With a well-designed profile, elegant grooves, lightweight properties, and a factory pre-painted finish, Eaves Pro is a complete solution ready for quick installation. Once installed, Eaves Pro helps create a comfortable home atmosphere for a long time thanks to its durability and resistance to heat and humidity.



See More  
Information

### Product Information

Texture	Color	Profile	Dimensions (mm) (Thickness *Width* Length)	Weight (kg/pcs)	Jumlah (lbr/m <sup>2</sup> )
Smooth	Coral White	Eaves Pro	16x240x3000 mm	15.80	1.42











# RB SHERA™

## Inovasi Bangunan Tanpa Batas

### TKDN

#### Tingkat Komponen Dalam Negeri

A regulatory framework established by the Government of Indonesia to increase the use of local components in the production of goods and services



7705 : 2020

#### Standar Nasional Indonesia

Products with the Indonesian National Standard (SNI) to deliver the best quality for customers.



#### Environment Product Declaration: EPD

Environmental Label based on ISO 14025 and EN 15804 certifications related to environmentally friendly manufacturing processes, verified by an internationally recognized central committee. These certifications ensure that the products meet global standards, are safe, and suitable for use



#### U.S. Green Building Council

Adds credits to buildings that contribute toward LEED certification by the U.S. Green Building Council.



#### Fybertec Technology

RB SHERA comes with advanced Fybertec technology, a special fiber formula designed to optimize density and flexibility, enhancing the strength and durability of RB SHERA products.



Crack-resistant during the screwing / fastening process



Resistant to bending during the installation process



Resistant to surface scratches during the cutting process



License No.041-005  
Made from 30% Recycled Materials

#### Green Label Certification

Green label certification as a product that uses environmentally friendly materials and supports energy conservation



#### Certified with the First Carbon Label

Carbon label registration standard from the Greenhouse Gas Management Organization (Public Organization) and the Environmental Institute Foundation.

### PT. RB SHERA SOLUSI BANGUNAN INDONESIA

Gedung Alia

Jl. M.I. Ridwan Rais 10-18,

Gambir Jakarta, 10110 Indonesia

Telp : (+6221) 50112004

Email : info@rbshera.co.id



[www.rbshera.co.id](http://www.rbshera.co.id)



rbshera

01/2026